



BELGIAN CONSTRUCTION CERTIFICATION ASSOCIATION
BCCA
Rue d'Arlon 53
B - 1040 BRUXELLES

Empowerment ID Code : 001



CEN KEYMARK CERTIFICATE OF CONFORMITY

001-BK-516-0001-0029-T00A

In compliance with the CEN CCB Keymark Scheme Rules and the SDG-5 Scheme Rules and Application Documents, BCCA attests that the factory made cellular glass (CG) product used for the thermal insulation of buildings

FOAMGLAS[®] Ready Board T4+

placed on the market by

PITTSBURGH CORNING EUROPE S.A.
Albertkade 1
B - 3980 Tessenderlo

And produced in the factory

Pittsburgh Corning Europe – Tessenderlo – Belgium

is submitted by the manufacturer to a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the empowered body – BCCA – has performed the initial type-testing for the relevant characteristics of the product as listed on page 2, the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control and an audit-testing of samples taken at the factory, on the market or at the construction site.

This certificate attests that all provisions concerning the evaluation of conformity mentioned in the European standards

NBN EN 13167 : 2008

NBN EN 13172 : 2008

were applied and that the manufacturer has the authorisation to affix the CEN Keymark representing an attestation of conformity of the product, with the characteristics specified according to the European Standard NBN EN 13167 : 2008.

This certificate was first issued on 14.06.2010 and remains valid as long as the conditions laid down in the European Standards NBN EN 13167 : 2008 and NBN EN 13172 : 2008 are fulfilled and the manufacturing conditions in the factory and the FPC itself are not modified significantly and as long as the surveillance by BCCA is continued with a positive result. The validity of this certificate shall be confirmed by BCCA once a year. On any substantiated request, BCCA will give information about the validity of the certificate.

Brussels, 14.06.2010



B. De Blaere
Director



BELGIAN CONSTRUCTION CERTIFICATION ASSOCIATION

BCCA

Rue d'Arlon 53
B - 1040 BRUXELLES

Empowerment ID Code : 001



CEN KEYMARK CERTIFICATE OF CONFORMITY

001-BK-516-0001-0029-T00A

FOAMGLAS[®] Ready Board T4+

CG-EN13167-PL(P)1,5-DS(TH)-CS(Y)600-BS450-TR100-WS-WL(P)

Thermal Conductivity λ_D (W/m.K)	0,041
Thickness Range (mm)	40-180
Reaction to Fire (Euroclass)	F